

AQUATICS SENSITIVE SPECIES LIST

Forest Service-Region 1, February 2011

List Information:

- Species are listed as Sensitive by State. A species identified as Sensitive within a State, will be considered as Sensitive on all Units within the state where it occurs, unless described otherwise.
- “State Ranking” is the condition of a species within a particular state

FISH

Pacific Lamprey (*Lampetra tridentata*)

States Where Sensitive and Ranking:

Idaho, ranked S1 Critically Imperiled

Forests Where Species is Known or Suspected to Occur

Bitterroot suspected

Clearwater known

Nez Perce known

Comments: None

Northern Redbelly Dace (*Phoxinus eos*)

States Where Sensitive and Ranking:

North Dakota, ranked S2 Imperiled

South Dakota, ranked S2 Imperiled

Forests Where Species is Known or Suspected to Occur

Custer suspected

Dakota Prairie Grasslands known

Comments: None

Yellowstone Cutthroat (*Onorhynchus clarki bouvieri*)

States Where Sensitive and Ranking:

Montana, ranked S2 Imperiled

Idaho S2, ranked Imperiled

Forests Where Species is Known or Suspected to Occur

Custer known

Gallatin known

Comments: None

Artic Grayling (*Thymallus arcticus montanus*) Upper Missouri River Distinct Population Segment (DPS)

States Where Sensitive and Ranking

Montana, ranked S1 Critically Imperiled

Forests Where Species is Known or Suspected to Occur

Beaverhead-Deerlodge known

Comments: If fluvial populations are established by FWP efforts in historic range (e.g., Ruby River or Sun River) these would become part of the DPS.

Westlope Cutthroat (*Oncorhynchus clarki lewisi*)

States Where Sensitive and Ranking:

Montana, ranked S2 Imperiled

Idaho, ranked S3 Vulnerable

Forests Where Species is Known or Suspected to Occur

Beaverhead-Deerlodge known

Bitterroot known

Clearwater known

Flathead known

Gallatin known

Helena known

Idaho Panhandle known

Kootenai known

Lewis & Clark known

Lolo known

Nez known

Comments: None

Interior Redband (*Oncorhynchus mykiss gairdneri*)

States Where Sensitive and Ranking:

Montana, ranked S1 Critically Imperiled

Idaho, ranked S4 Apparently Secure

Forests Where Species is Known or Suspected to Occur

Clearwater suspected

Idaho Panhandle known

Kootenai known

Nez Perce known

Comments: None

Snake River Spring/Summer Chinook (*Oncorhynchus tshawtscha*)

States Where Sensitive and Ranking:

Idaho, ranked S1 Critically Imperiled

Forests Where Species is Known or Suspected to Occur

Bitterroot known

Clearwater known

Nez Perce known

Comments: Some stocks are federally listed species, naturalized populations are sensitive.

Burbot (*Lota lota*)

States Where Sensitive and Ranking:

Idaho, ranked S1 Critically Imperiled

Forests Where Species is Known or Suspected to Occur

Idaho Panhandle known

Kootenai known

Comments: Northern Idaho only

Mollusks**Western Pearlshell (*Margaritifera falcata*)**

States Where Sensitive and Ranking:

Montana, ranked S2 Imperiled

Idaho, ranked S2 Imperiled

Forests Where Species is Known or Suspected to Occur

Beaverhead-Deerlodge known

Bitterroot known

Clearwater known

Flathead suspected

Gallatin known

Helena known

Idaho Panhandle known

Kootenai known

Lewis & Clark known

Lolo known

Nez Perce known

Comments: Added due to declining viable populations in its range